

DI Boxes

ULTRA-DI PRO DI800

Professional Mains/Phantom Powered
8-Channel DI-Box



- Professional and multi-purpose 8-channel direct injection box for stage and studio applications
- Provides impedance and signal matching for the direct connection of instruments to mixers and amplifiers
- Ultra-flat frequency response due to servo-balanced operation
- Optional mains or phantom-powered operation
- Allows direct connection to speaker outputs with up to 3,000 Watts
- +20 dB gain switch for pre-amplification of low-level signals
- Switchable input attenuation allows input levels of up to +40 dB
- Ground Lift switch eliminates typical ground loop problems
- Link output for easy connection to further equipment
- ¼" TRS and gold-plated XLR connectors
- Illuminated switches enable perfect operation in dark stage environments
- 3-Year Warranty Program*
- Conceived and designed by BEHRINGER Germany

The ULTRA-DI PRO DI800 is a professional mains/phantom powered 8-channel active DI-box. If you need a rack-mountable DI unit with enough inputs to accommodate everyone on stage, or in the studio – then you need to plug into the DI800!



PRO-Active

Direct Injection (DI) boxes make it possible to connect guitars, basses and keyboards (as well as other line-level devices) to audio mixers and recorders. They are absolutely essential for proper impedance-matching and to maintain signal integrity. Our active DIs feature “buffered” inputs that respect your source signal much better than passive DI boxes can. Balanced signals leaving the DI800 are extremely low-impedance (typically less than 680 Ω), and far less susceptible to noise and RF Interference (RFI).

DI Boxes

ULTRA-DI PRO DI800

Professional Mains/Phantom Powered
8-Channel DI-Box

¼" In, XLR Out – There has to be More?

When it comes right down to it, all DI boxes do the same thing, right? Yes, but the DI800 does much more than just "bass guitar in, mic-level signal out." It really is a highly versatile input-signal toolkit. Here are just two advantages the DI800 has over standard DI boxes:

- Maybe you'd like to connect your guitar amp's speaker output to your mixer? Not a problem, the DI800 features a -30 dB attenuation switch, allowing you to connect to speaker outputs rated up to 3,000 Watts – and convert them to balanced XLR outs!
- Weak incoming signal? The DI800 has a +20 dB switch, which really comes in handy for boosting low-level input signals to balanced signals with real power and rock-solid impact.

Of course, the DI800 provides a Link output for easy connection to other equipment, such as your onstage amplifiers and monitor consoles. Servo-balanced performance guarantees ultra-flat frequency response – and the gold-plated XLR output connectors provide reliable, low-noise operation. Per channel ground-lift switches eliminate ground-loop hum issues. The DI800 does everything a standalone DI can do, and much more – times eight!



Power Trip

Unlike their passive counterparts, active DI boxes require a power source to make their internal electronics work. The DI800 provides two power options: 120 – 240 V~ from the nearest wall outlet or power strip, or +18 to +48 V DC from your mixer's phantom power supply.

DI Boxes

ULTRA-DI PRO DI800

Professional Mains/Phantom Powered
8-Channel DI-Box

Superior Sound, Incredible Value

The 8-channel ULTRA-DI PRO DI800 delivers exceptional sound quality – at an extremely affordable price. Find out how the DI800 can instantly improve your sound at your nearest **BEHRINGER** dealer, or place your order online today!



You Are Covered

We always strive to provide the best possible Customer Experience. Our products are made in our own **MUSIC Group** factory using state-of-the-art automation, enhanced production workflows and quality assurance labs with the most sophisticated test equipment available in the world. As a result, we have one of the lowest product failure rates in the industry, and we confidently back it up with a generous **3-Year Warranty** program.

DI Boxes

ULTRA-DI PRO DI800

Professional Mains/Phantom Powered
8-Channel DI-Box



DI Boxes

ULTRA-DI PRO DI800

Professional Mains/Phantom Powered
8-Channel DI-Box



For service, support or more information contact the BEHRINGER location nearest you:

Europe
MUSIC Group Services UK
Tel: +44 156 273 2290
Email: CARE@music-group.com

USA/Canada
MUSIC Group Services NV Inc.
Tel: +1 702 800 8290
Email: CARE@music-group.com

Japan
MUSIC Group Services JP K.K.
Tel: +81 3 6231 0454
Email: CARE@music-group.com

MUSIC Group accepts no liability for any loss which may be suffered by any person who relies either wholly or in part upon any description, photograph, or statement contained herein. Technical specifications, appearances and other information are subject to change without notice. All trademarks are the property of their respective owners. MIDAS, KLARK TEKNIK, LAB GRUPPEN, LAKE, TANNÖY, TURBOSOUND, TC ELECTRONIC, TC HELICON, BEHRINGER, BUGERA and DDA are trademarks or registered trademarks of MUSIC Group IP Ltd.
© MUSIC Group IP Ltd. 2016 All rights reserved.

